



TALKIN' WATER GUIDELINES

- Sessions are recorded.
- Please make sure your microphone is muted.
- Moderated Q&A after the presentation; please type you questions anytime.



- TVWD staff can call on you to speak during the Q&A. When finished, please mute your microphone again.
- If you have accessibility needs, click on the three dots to magnify or translate the slides.
- TVWD operates in an inclusive and discrimination-free manner to serve all customers.
- Staff may exclude participants who disrupt events.





TODAY'S EXPERTS



Presenter
Steve Carper
Conservation Technician



Presenter

Kahlil Howell

Senior Water Quality Inspector



SUMMER IS RIGHT AROUND THE CORNER

To irrigate efficiently, you need to tune up your system every spring





Helpful tools

- Large screwdriver
- Small flat head screwdriver
- Specialty adjustment tools for sprinklers
- Hand spade

- Valve key
- Gloves
- Flashlight
- Knee padding



Close manual drains: valve locations







Close manual drains: Re-install drain caps







Close manual drains: Types of drain valves












PRESSURIZING YOUR BACKFLOW PREVENTER

Not all backflow preventers are the same – Most require annual testing

Double Check Valve Assembly (DC)

Pressure Vacuum Breaker Assembly (PVB)

Atmospheric Vacuum Breaker (AVB)









PRESSURIZING YOUR BACKFLOW PREVENTER


Basic valve operation of the double check valve assembly

Closed



Open







Closed




Open



Irrigation isolation valve location and operation









PRESSURIZING YOUR BACKFLOW PREVENTER

Here is the best practice to pressurize your system

- **1. CLOSE** #1 and #2 shut-off valves
- 2. CLOSE all four test ports

- 3. **OPEN** isolation valve
- 4. OPEN assembly shut-off #1
- 5. OPEN #2 shut-off SLOWLY










ANNUAL TESTING SCHEDULE

Many customers prefer hiring their own tester, and that's okay!

- Backflow assembly test(s) are due before September 1st each year
- To find a certified tester, ask around! Your neighbors may have great recommendations, or your landscape company may even be certified
- Certified testers are required to submit test results electronically within 10 business days of the completed test through TVWD's tracking software web portal
- Assemblies not tested by September 1st will be assigned to our contracted certified testers and a \$65 enforcement fee is applied to the water bill






ANNUAL TESTING SCHEDULE

Since 2009, we've offered contract testing for our customers, called the "Gold Plan"

- TVWD Gold Plan is an optional service for most residential customers
- To learn more and subscribe to the Gold Plan please visit our website at <u>TVWD.org/GoldPlan</u>
- Deadline to be included in this year's testing is May 31, 2024
- The Gold Plan subscription is \$35 per backflow assembly, added annually to your water bill
- TVWD will arrange your backflow assembly test with our certified contracted testers
- TVWD will credit up to \$50 toward assembly repairs when using our certified contracted testers







SPRING IRRIGATION MAINTENANCE CHECKLIST

Inspect and maintain your sprinkler system every spring

Irrigation Maintenance Video:

tvwd.org/IrrigationMaintenance





SPRING IRRIGATION PREPARATION

Turn Irrigation Controller to ON Setting













SPRING IRRIGATION PREPARATION

Sprinkler adjustment: radius and arc pattern









SPRING IRRIGATION PREPARATION

Rain Sensors & Weather-Stations









SPRING IRRIGATION MAINTENANCE CHECKLIST

Close all manual drains (if installed) and test-cocks on backflow prevention device (likely left open when sprinkler system was drained last fall).
Slowly open the main shut-off valve, allowing the piping between it and the backflow prevention device to fill with water.
Pressurize the mainline from the backflow prevention device to the control valves.
Ensure backflow prevention device has been tested by a state-certified tester. Contact your water provider for specific information on rules and regulations - be sure to ask for the cross connection or backflow specialist.
Run the entire sprinkler system, one zone at a time. As you do this;
☐ Check for signs of leakage from damaged sprinkler heads or broken piping. Repair leaks right away.
☐ Check for accurate spray patterns. Adjust your sprinklers so they water your landscape and not sidewalks or pavement.
☐ Adjust sprinklers that have sunken or become misaligned and ensure that spray isn't blocked by plants or other obstructions.
☐ Clean clogged nozzles, filters and sprinkler heads.
Verify the programming of irrigation controller. Make sure you don't have excessive zone run times, extra active programs or start times, that can lead to unintentional overwatering.
Sign up for the Weekly Watering Number at regionalh2o.org.
Take the worry out of scheduling by installing a WaterSense labeled weather-based irrigation controller and take advantage of loca rebates.



YOUR TURN! ANY QUESTIONS?



Presenter Steve Carper Conservation Technician



Presenter Kahlil Howell Senior Water Quality Inspector







Steve Carper

Steve.carper@tvwd.org

Kahlil Howell

Kahlil.howell@tvwd.org

Tvwd.org/TalkinWater